Friday, 28/11/2008 3:10:31 PM

User:

Julie Dawson

### **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

**Drawing Name** 

: 412 X-TUBE INST,LOW NARROW FWD

**Estimate Number** 

: 43866 : 13209

P.O. Number

This Issue

: 28/11/2008

S.O. No. :

**Part Number** 

: D412664105TRN

**Drawing Number** 

: D412-664-145 REV C

Prsht Rev. First Issue

: NC : 11

: 39548

Type

**Project Number Drawing Revision**  : N/A

: C

Material Due Date

: 05/12/2008

Qty:

Each 1 Um:

**Previous Run** Written By

Comment

Checked & Approved By

New Issue 08-03-06 DD verified by:ec

: CROSSTUBES

Est Rev B 08.04.02 Removed polish EC verified by: DD

**Additional Product** 

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

1.0

2.0

D6019128

Crosstube Material

Comment: Qty.:

1.0000 Each(s)/Unit

Total:

1.0000 Each(s)

Pick:

Qty Part number Description Batch

1 D6019-128 Crosstube 532310

Check OD = 2.7500"; ID =

MORI SEIKI

MORI SEIKI CNC LATHE LARGE

Comment: MORISEIKI

1-Fill tube with sand & install plugs DT8534 on both ends as per Folio FA689

2-Turn first side as per Folio FA689

3- File transition lines smooth.

INSPECT ALL DIM TO DIM SHEET

3.0 QC1

Comment: INSPECT ALL DIM TO DIM SHEET

4.0

MORI SEIKI

MORI SEIKI CNC LATHE LARGE

Comment: MORI SEIKI CNC LATHE LARGE

1-Turn second side as per Folio FA689

File transition lines smooth.

3- Remove sand and plugs

Dart Aerospace
----------------

W/O:			WORK ORDER	CHANGES					
DATE	STEP	PR	OCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
						·			
									R. C.
Part No	:	PAR #:	Fault Category:	No	CR: Yes	No <b>DQ</b>	A:	Date: _	·
	Resolution:		Disposition:	Q	A: N/C (	Closed:		Date:	

NCR:			WORK ORDER NON-CONFORMANCE (NCR)					
		Description of NC		Corrective Action Section E	3	Verification	Annroval	Annroyal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
						, ,		
						·		
						:		
						•		
							· man, man	

Date: Friday, 28/11/2008 3:10:31 PM User: " Julie Dawson **Process Sheet** Drawing Name: 412 X-TUBE INST,LOW NARROW FWD Customer: CU-DAR001 Dart Helicopters Services Job Number: 43866 Part Number: D412664105TRN Job Number: ŧ Seq. #: **Machine Or Operation:** Description: 4-Scribe part # and batch # using vibrating stylus as per Dwg D412-664-145 Inside of Cuff(Donot engrave on outside of tube) 5.0 QC1 INSPECT ALL DIM TO DIM SHEET Comment: INSPECT ALL DIM TO DIM SHEET 6.0 QC8 SECOND CHECK Comment: SECOND CHECK 08 7.0 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSIO Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 9.0 PACKAGING PACKAGING RESOURCE # Comment: HAND FINISHING RESOURCE #1 Identify and stock in kanban rack Location: 10.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Ae	rospace	e Ltd								
W/O:			V	<b>VORK ORDER CHANGE</b>	ES					
DATE	STEP	PROC	EDURE CH	HANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
										·
Part No	:	PAR #:	_ Fault Ca	tegory:	NC	R: Yes N	lo <b>DQ</b>	A:	Date:	
	R	esolution:	_ Disposit	ion:	QA	: N/C Clos	sed:		Date:	· 
NCR:		W	ORK OR	DER NON-CONFORMA	NCE	(NCR)				
DATE	STEP	Description of NC		Corrective Action Section	пВ	Ciam 0	Verific		Approval	Approvai
		Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Section	on C	Chief Eng	QC Inspector
									1.	
	•									
					 			,		
<del></del>				1,0,0,0,0		**************************************				

DART AEROSPACE LTD	Work Order:	43866
Description: Crosstube Assembly (412 Low Narrow Fwd)	Part Number:	D412-664-145
Inspection Dwg: D412-664-145 Rev: C		Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype

		X	First Article		Prototy	pe		
	nspection Sheet awing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Co	mments
	2.740	+0.005/-0.000	2.743					
	2.490	+0.005/-0.000	2.498	/				
	2.557	+0.005/-0.000	2-562	/				
	2.624	+0.005/-0.000	2.628					
	2.692	+0.005/-0.000	2.695	/				
SIDE A								
	2.740	+0.005/-0.000	2.713				-	
	2.490	+0.005/-0.000	2 493					
	2.557	+0.005/-0.000	2.562					
	2.624	+0.005/-0.000	2.628					
8	2.692	+0.005/-0.000	2.695	/				
SIDE								· ·
	124.48	+/-0.020	124.486					
Me	asured by: $\mathcal G$ ,	/n A	udited by:	5.		Prototype Appr	oval:	N/A
		1.12.08	Date:	20/12/04			Date:	N/A
Re				· · · · · ·		Revis	ed,by	Approved
Α	08.04.21 New	Issue (	P/O D412-664-	105)		KJ/DD	ox -	13/

Dart Aerospace
----------------

Dart Ae	rospace	e Ltd								
W/O:				WORK ORDER	CHANGES					
DATE	STEP		PR	OCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	] 									
	į									·
Part No	:		PAR #:	Fault Category:	NC	R: Yes	No <b>DQ</b>	A:	_ Date: _	
	R	esolution:		Disposition:	QA	: N/C C	losed:		Date: _	
NCR:				WORK ORDER NON-CON	IFORMANCE	E (NC	R)			:

NCR:			WORK ORDE	ER NON-CONFORMAN	CE (NCR)			
		Description of NC	***************************************	Corrective Action Section B	3	Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
		A MANAGE STATE OF THE STATE OF						
								:



. 1	0.000			
	DESIG	9	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
	CHECK		APPROVED A	DRAWING NO. REV. C
		911	All	D412-664-145 SHEET 1 OF 3
	DATE			TITLE SCALE
	07.0	3.29		CROSSTUBE ASS'Y (412 LOW-N FWD) NTS
	Α		06.12.21	NEW ISSUE
	В		07.03.01	CHG RUBBER CUSHION
	c		07.03.29	CHG CLAMP & RUBBER CUSHION LGTH.

PELEASED

#### PARTS LIST:

Part Number	Description
D412-664-145	CROSSTUBE ASSEMBLY (412 LOW-NARROW FWD)
D6019-128	CROSSTUBE
D2856-250-842	ABRASION STRIP
D2893-1	SUPPORT
D3189-3	CHAFING SHIELD
D3595-063-450	RUBBER CUSHION
MS21920-24	CLAMP
MS21920-25	CLAMP (OR MS21920-26)
MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)
	D412-664-145  D6019-128 D2856-250-842 D2893-1 D3189-3 D3595-063-450  MS21920-24 MS21920-25

#### **GENERAL NOTES:**

- 1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 2) MATERIAL: MANUFACTURED FROM D6019-128
  - FINISHED LENGTH = 124.48±0.020 (BEFORE BENDING/TRIMMING)
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
  - PAINT OUTSIDE PER DART 005 4.2
- 4) PART IS SYMMETRIC ABOUT CENTERLINE, EXCEPT FOR D3189-3 CHAFING SHIELD AND ASSOCIATED HARDWARE.
- 5) RUN-OFF PART. BLEND OUT EDGE LONGITUDINALY, TRANSITION SHOULD BE SMOOTH.
- 6) BEND PROGRESSIVELY WITH A MINIMUM OF 8 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 7) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038
- 8) SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS.
- 9) INSTALL D2856-XXX-YYY ABRASION STRIPS WITH A 0.13 (REF) GAP ON BOTTOM SIDE OF CROSSTUBE PER QSI 035.
- 10) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 11) APPLY A 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE. LET CURE FOR 12 HOURS AFTEROP COPY INSTALLATION AND PRIOR TO PACKAGING.
- 12) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SEE MEE D2893-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSIMEERING CROSSTUBE SUPPORT.
- CROSSTUBE SUPPORT.

  UNCONTROLLED COPY

  13) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY

  AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

  SUBJECT TO AMENDMENT


WITHOUT NOTICE
WORK ORDER


Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart	<b>Aeros</b>	pace	Ltd
------	--------------	------	-----

W/O:			WC	RK ORDER CHANGE	ES					
DATE	STEP	PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						1				
Part No:		PAR #:	Fault Category: NCR: Yes N			No DQ	lo DQA: Date:			
Resolution:			Disposition:		QA	QA: N/C Closed: Date:				
NCR:		,	WORK ORDI	R NON-CONFORMA	NCE	(NCR	)			
DATE STE	CTED	Description of NC	Corrective Action Section		n B		Verific	cation	Approval	Approval
	Section A	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Section C		Chief Eng	QC Inspector
							•			





# D412-664-145 MACHINING DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPS
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 100 SOLUTION
RETURN TO

PELEASED 07.04.19

